

Schwing Concrete Pumps

SP 1000 / SP 1200



Schwing Concrete Pump - SP 1000

Introducing the Schwing SP1000. A product designed to maximise your productivity with lowest operating costs.

Fuel Efficient Engine

The pump is fitted with an extremely fuel-efficient 3 cylinder engine that produces 37 kw of power. This frugal heart of the pump ensures the lowest consumption of diesel. The pump has an output of 24 cu-m/hr with a maximum concrete pressure of 60 bar.



Aesthetic protective canopy



This pump has a FRP canopy that totally covers the pump. This protects all components from the elements leading to longer life.

Easy maintenance

The easy access to all the parts of the machine ensures that maintenance requires the minimum time for maintenance so your machine is up and running in no time at all.

Portability

The conveniently placed towing hook and toughened frame and axle enable portability across rough terrain. The low weight of the pump allows it to quickly move it from one site to the other.



TECHNICAL DATA

Description	Unit	SP 1000D
Engine performance	kW	37
Pumping cylinder, DN x stroke	mm	180 x 1000
Diff.-cylinder, DN / dn x stroke	mm	90 / 50 x 1000
Drive of the diff.-cylinder		piston side
Stroke per minute / max.		15
Max. theor. concrete output	m ³	24
Max. concrete pressure bar		60
Hopper capacity	l	400
Delivery pipe until DN	mm	150

Schwing Concrete Pump - SP 1200



Rigid Chassis

Strengthened Chassis with shock-resistant stabilisers to increase strength and stability.

Gear Box for agitator motor

By controlling the drive of the agitator motor through a gearbox, there is lesser damage on the agitator and lesser stress on the hydraulic components leading to increased life of the product.



Simply hard-face your rock valve and it is as good as new!!

The Schwing SP1200, one of the most successful concrete pumps in India is now available with a full body protective canopy.

RL Rock

Made after years of extensive study in the behaviour of tough concrete mixes, this valve is ideally suited for pumping harsh concrete and can withstand rugged site conditions as in India. This valve has been recognised worldwide as the toughest concrete valve there is. The optional hard-facing is recommended.



Control







An easy to use remote with 10m cable comes as standard with the pump so your operators learn and start using it immediately. The famous Schwing maintenance-free control system with its proven free flow hydraulics ensures optimum fuel consumption, low heat generation and helps your components last long to reduce your operating costs.

TECHNICAL DATA

Description	Unit	SP 1200D	SP1200E
Engine performance	kW	48.6	45 kW
Pumping cylinder, DN x stroke	mm	180 x 1200	180 x 1200
Diff.-cylinder, DN / dn x stroke	mm	100 / 56 x 1200	100 / 56 x 1200
Drive of the diff.-cylinder		rod side	rod side
Stroke per minute / max.		27	24
Max. theor. concrete output	m ³	49	42
Max. concrete pressure bar		64	64
Hopper capacity	l	400	400
Delivery pipe until DN	mm	150	150

SCHWING - STETTER ALWAYS CLOSE TO THE CUSTOMER.



-  Branch
-  Resident Engineer
-  Resident Engineer with spares
-  Service Centres
-  Dealership Support
-  Customer Training Centers



SCHWING STETTER (INDIA) PVT LTD

An ISO 9001 : 2008 Company

CORPORATE OFFICE : F 71 - 72,
SIPCOT Industrial Park, Irungattukottai,
Sriperumpudur Taluk, Kancheepuram District,
Tamilnadu - 602105.
Phone : 044 2715 6780 / 781, 47108100
Fax : 044 27156539 Email : schwing@vsnl.com,
chennai@schwingstetterindia.com

HYDERABAD : House No. 8-3-231/W/30/A,
Plot No 30 A, Womens Coperative Housing Society,
Road No 2, Jubilee Hills, Hyderabad - 500 033.
Phone : 040 6615 1783 / 08418 305000/5 / 33555588
Fax : 040 2354 1782.
Email : hyderabad@schwingstetterindia.com

COCHIN : No.34 / 1404 B,
Edappally - Arakkadavu Road, Anchumana,
Edappally - PO. Cochin - 682 024. Kerala
Phone : 0484 4055544 / 2349858 / 3355558
Fax : 0484 4055984
E-mail : cochin@schwingstetterindia.com

RAIPUR : House No. 108, Main Road Bhanpuri
Opposite Nine Block, Raipur 493221, Chattisgarh
Phone : 0771 2562325 Fax : 0771 2562465

MUMBAI : 620 / 621, Nirmal Lifestyle Corporate Centre,
6th floor, LBS Marg, Mulund(West), Mumbai 400 080.
Phone : 022 25624863 / 64, 30718300
Fax : 022 25624865 / 25624866
Email : mumbai@schwingstetterindia.com

BANGALORE : No 138-B, "UDAYAGIRI COMPLEX",
3rd Phase, KIADB Industrial area,
Peenya, Bangalore 560058,
Phone : 080 4243 8400, 080 33555588
Fax : 080 4243 8432, 080 30114301
Email : bangalore@schwingstetterindia.com

AHMEDABAD : 103, Shivalik Arcade,
Near Prahlad Nagar Auda Garden,
100 Ft. Anand Nagar Road, Satellite, Ahmedabad-380 051
Phone : 079 40244200, 079 3355 5588.
Fax : 079 40064084
Email : ahmedabad@schwingstetterindia.com

BHUBANESWAR : Plot No: 182, NH - 5,
Naharkanta, Rudrapur.PS: Baliana,
Beside Puri Main Canal, Bhubaneswar. Orissa - 752101.
Phone : 0674 2463999

GUWAHATI : House No - 124, Tripura Road,
Beltola, Guwahati - 781029. Assam.
Phone : 0361 2234738

NEW DELHI : 19, Okhla Industrial Estate,
Phase III, New Delhi - 110 020.
Phone : 011 42903000 / 30928500
Fax : 011 42903030 / 30928530
Email : newdelhi@schwingstetterindia.com

CHANDIGARH : SCO 165 , SECTOR 38 C&D,
Chandigarh (Union Territory) - 160 036
Phone : 0172 3957500 / 3957503 Fax : 0172 3957501
Email : chandigarh@schwingstetterindia.com

KOLKATA : CL 236, Salt Lake City, Sector II,
Near Karunamoyee Tank No.9, Kolkata - 700 091.
Phone : 033 2359 4320 / 330 / 33555588
Fax: 033 2359 4326
Email : kolkata@schwingstetterindia.com

PUNE : Arihant Court, Shop No. 1, 2 & 3, 481,
Rasta Peth, Next to Employment Exchange
Mudliar Road, Pune 411 011
Phone : 020 33555588 / 26055651 / 52
Fax : 020 2605 5653 / 30531517
Email : pune@schwingstetterindia.com

JAMSHEDPUR : D-27, 2nd Floor, Danish Apartment,
Masjid Road, Dhatkidih, Jamshedpur 831001
Phone : 9431328608 / 09709001441